RECEIVED-WATER SUPPLY

MISSISSIPPI STATE DEPARTMENT OF HEALTH 2016 MAY 27 PM 4: 36

BOREAU OF PUBLIC WATER SUPPLY	
CCR CERTIFICATION	
CALENDAR YEAR 2015	Oil
ata of Calhoun City water horastupat	CITY
Public Water Supply Name	- and
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
007 0004	Market Service Landscope.
List PWS ID #s for all Community Water Systems included in this CCR	
The state of the s	n

List PWS ID #s for all Commu	nity Water Systems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires Consumer Confidence Report (CCR) to its customers each system, this CCR must be mailed on delivered to the	each Community public water system to develop and distribute a ch year. Depending on the population served by the public water ners, published in a newspaper of local circulation, or provided to the procedures when distributing the CCR. You must mail, fax or lease check all boxes that apply.
Customers were informed of availability of CCR	by: (Attach copy of publication, water bill or other)
Advertisement in local paper of On water bills (attach copy of	(attach copy of advertisement) f bill)
Date(s) customers were informed: 0.5 / 18 /	the message to the address below) oer) 6. / / . 6/ / / /6 (on water hills)
CCR was distributed by U.S. Postal Service of methods used	or other direct delivery. Must specify other direct delivery
Date Mailed/Distributed:/_/	
CCR was distributed by Email (MUST Email MS As a URL (Provide URL As an attachment As text within the body of the	SDH a copy) Date Emailed: / / email message
CCR was published in local newspaper. (Attach c	opy of published CCR or proof of publication)
Name of Newspaper: Callyout Co	herman !
Date Published: _ 5 / 18 / 16	mer and
CCR was posted in public places. (Attach list of le	ocations) Library Date Posted: 5/10/16
CCR was posted on a publicly accessible internet s	site at the following address (DIRECT URL REQUIRED):
the SDWA. I further certify that the information incl.	Report (CCR) has been distributed to the customers of this ed above and that I used distribution methods allowed by aded in this CCR is true and correct and is consistent with public water system officials by the Mississippi State
JK Den Yn Mayor	5-25-16
Name/fitle (President, Mayor, Owner, etc.)	Date
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700	May be faxed to: (601)576-7800
Jackson, MS 39215	May be emailed to:
CCR Due to MSDH & Customers by July 1, 2016!	water.reports@msdh.ms.gov

2015 Annual Drinking Water Quality Report Calhoun City Water Department PWS#: 0070004 April 2016

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

If you have any questions about this report or concerning your water utility, please contact Joseph Shane Cook at 662.983.8744. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:30 PM at the Calhoun City- City Hall.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Calhoun City Water Department have received lower to moderate susceptibility rankings to contamination.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2015. In cases where monitoring wasn't required in 2015, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; operations, and wildlife; Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water posses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

	·	Agricultura () and an annual of the second		TEST R	ESU	LTS	;		The state of the s	the state of the same of the s
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measu -men	re i	ICLG	MCL	Likely Source of Co	entamination
Radioacti	ve Cont	aminan	its		J.,			********************		and the same of the same and th
5. Gross Alpha	N	2012*	10	.4 - 10	Tr	Ci/L	7	0	15	France of
6. Radium 226 Radium 228	Y	2012*	5.1	No Range		Ci/1			***************************************	Erosion of natura deposits
norganic	Contan	l linante							5	Erosion of natura deposits
3. Arsenic		2015	2.4							
		20,0	2.4	1.4 – 2.4	ppb		n/a	50	Eresion of natural de orchards; runoff from electronics production) diase and

10. Barium	N	2015	.1585	.15211585	1			
40.00				11021 - 11000	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura
13. Chromium	N	2015	4.6	4.2 4.6	ppb	100	100	ueposits
14. Copper	N	2012/14*	.4	0			100	Discharge from steel and pulp mills; erosion of natural deposits
					ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits.
16. Fluoride**	N	2015	.295	.25-2.95	ppm	4	4	leaching from wood preservatives
47.1					late.	7		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum
17. Lead	N	2012/14*	3	0	ppb	0		lactories
19. Nitrate (as	N	2015	.21	N- 12			710. 10	Corrosion of household plumbing systems, erosion of natural deposits
Nitrogen)			.2.1	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natura
21. Selenium	N	2015	5.6	No Range	ppb			deposits
***************************************				, to nango	DQU	50	1	Discharge from petroleum and metal refineries; erosion of natural deposits;
Disinfectio	n By-	Products			<u></u> .			discharge from mines
31. HAA5	N	2014*	1	No Range	l dqq			
Chlorine	N	2045			phn	0	60	By-Product of drinking water disinfection.
Most recent sam		2015	.7	.4 – 1.1	Mg/I	0	MDRL = 4	

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water for drinking methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at 601,576,7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the City of Calhoun City is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride samples results were within the optimal ranger of 0.7 – 1.3 ppm was 8. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7 –1.3 ppm was 50%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Calhoun City Water Department works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future,

Please note: this report will not be mailed to the customers individually, however, a copy may be requested from Calhoun City - City Hall.

Proof Of Publication

STATE OF MISSISSIPPI, COUNTY OF CALHOUN

Personally came before me, the undersigned, a Notary Public, in and for Calhoun County, Mississippi, Joel McNeece, Publisher of The Calhoun County Journal, a newspaper published in Bruce, Calhoun County, in said state, who being duly sworn, deposes and says that The Calhoun County Journal is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1858 of the Mississippi Code of 1942, and the publication of a notice, of which annexed copy, in the matter of

CALHOUN CITY WATER ASSN WATER QUALITY REPORT

has been made in said newspaper one time, towit:

On the 18 day of MAY 2016

Joel McNeece Publisher

Sworn to and subscribed before me, this 18 day of MAY, 2016.

Marcellece

The M

Lisa Denley McNeece, Notary Public

My commission expires March 28, 2018



Calhoun City Water Association Drinking Water Quality Report

2016 Annual Dinking Water Guzkly Report Calhoun Gity Water Department PWS#: 0070904

While pheased to present to you line year's Annual Questy Motor Depart. This opport in distingued to inform you cause the questy relation on convicus will deliver to you menty day. Our constant goals to presently sour with a serio and departed to supply of deliving weder. Who want you individually not contained in a contained in a contained to the contained to

if you have any questions about this report or concerning your water unity, pleaso outled, Joseph Shane Cook at 002,003,0744; Wa want ou groved outleanns to be informed about their water unity. If you want to learn make, planted prized any of our regularly expectations make the processor of the

The source water assessment has been completed for our policy water system to determine the count succeptably of its distinity water supply to benefited polaridal occurso of contamination. A report containing detailed intermediate in their the succeptably determinations were made has been furnished on any rocks water system and its artistic for watering upon request. The refer for the or the Colhean Coy Water

In this taken you will find many forms and administering you might not be larming with To map you belief unbunsters made terms were you sked the blooming definition.

Action Level - the convention of a confermant which, if empedied, higger treatment of other paper indication in the mater hydron most follow:

Manisters Contaminant Level (MCL) - The "Macritum Abourd" (MCL) is the highest level of a contaminant that is assured in number material treatment technology.

MCL3 you set as close to the MCLGs on feer the unifor the best exactable treatment technology.

Na-circum Contaminant Level Goal (NCCLG) - The "Goal (NCCLG) is the level of a contaminant in disableg water below which there is no known or expected (Inch is teath. MCLS) allow he a microst of safety.

addition in a diginisector is an existing for confidence containing and a confidence of the confidence

tisk of leads. AROLOs do not rufeet the tiereties of the use of decidious/set to control increased continuenties.

Peris per missen (apar) or fair/amins per Alor (mp4) - one part per missen corresponds to one interest in the posts of a stingle periory in \$10,000.

Parts per inscere (apart) or integrants per iter - one part per relaxation corresponds to one influtio in 2,000 years, or a single penny in \$10,000,000.

Parts per pirion (apart) or integrants per iter - one part per bissa corresponds to one influtio in 2,000 years, or a single penny in \$10,000,000.

1000	62 pt 04 (144-17)			TEST R	esui	TS.				
Contaminant	Violeton	Date Collected	Level Datected	Range of Dotocts or # of Samples Exceeding MCLIAGE	Mossyr Mossyr -oversi			NC.	Lively Sources of Con	taminellus
Radiosctiv	ve Cont	taminan	ts							
5. Orose Alpha	111	2012*	10	4-10	1	Cu.		0	15	Exaston of natural daposite
G. Rodern 276 Reduct 228	Ÿ	5015,	5.1	No Rargo		KINI		9	6.	Proston of return deposes
Inorganic	Contra	minunts							hamai nastarias es	
B. Arcerio	N	2016	2.4	1.4-24	thôn		/b	60 	Ereston of natural ti- orchards; ranoff from alertimates production	ngiosa end
SAMMONSSTROMYSER		dooranivensor	Western Street	***************************************					120	
16. Barient	H	2615	,1585	.15211685	Léxie		1		Dizainigo el dillad lena merol relació depuisa	
13. Chromhen	Ti Ti	2016	4.0	12-40	pyli		03	160	Discharge from eter- eropion of natural d	t and pulp mile; oposite
TA Coase	31	2012014	7 7	10	0.00	<u>-</u>	1.3 1	ALat.3	Conssion of house	raid diumbina

10. Bariant	H	2015	,1585	.16211685	Léxis	2		Discounge of diffing whates; therhally from mainly refrequent; proston of natural deposits
13. Chicobies	11	5016	46	12-40	ppli	103	160	Distinance from stoot and puto mits; erosion of natural deposits
14 Copper	H	2017/14	.4	0	929	1.3	ALMI.3	Corresion of household plumping systems, crosted of natural deposits; beching from wood preservatives.
In Prosine	11	2015	205	25-2.95	bbu	4	1	Erozion of netwol depoble; white poorwouthin promotos strong tooth; discharge from lotifizer and eluminum incloring
17. Lood	ti	2012/14*	3	U U	bth	٥	ALº16	Correctors of nousehold plumbling systems, employ of notified deposits
10, Hirsto (as Hirogerò	H	2013	.21	Ho Renge	thu	(0)	10	liturali from fertilizar use; lezetare from septic tenks, sowage; prosion of ristural deposits
-21, 8placken	И	2016	50	No liasse	Poly.	50		Discharge from periodican and metal refinedes; excellent of assural deposits; deshirige from misses
Disinfection	n By-l	roduct	S					
01. HAAS	14	2016.	Ţi	Ho Renga	\$40	0	. 6	By-Product of drinking woder distribution
Chiorina	- N	2016	7	4~13	1201	0	NORL +	Water addition used to account

Missi excent sample. Na sample tequited for 1015. Electify Level is receively edjected to the US State Dept of Health's recommended head of 0,7 - 1,3 mg/l.

We are required to receiver your directing variet for specific acceptables on a monthly basis, florate of regular mentioning one on indicator in whether our net our distingly value meets regular should us. In on offer to ensure grateria complete an annaturing inquirements, WSDM net whether our net consists are required to the condition of the conditionate profess.

If person, elevated unote to bland can cause service beath peoplems, especially for program browns and years oldered. Load in distribute well as planned from inscription and components associated with accrete times and those planned. Our value replant in supportable for light providing water, but caused moving the veryor of modellars used to be benefit processors. When your value to be accounted from them, you can instrain the potential the variety of modellars used to be about the processors for them you water to be accounted from your committee that the processor of persons your to be 30 accounts for a training one persons and the processor of persons and the persons and

To comply with the "Regulation Concenting Flooridation of Community Water Regulators," the Cay of Challenn Cay is recepted to Inspect and the Cartest probleming in Extraction for certainty probleming in Extraction for certainty sense in which is recognition to extract problems in the generation containty sent in which recognition is complete contained to the Cartest and Carte

th course of directive videt on the bedged to protected exchanisation by continuous video to the relation of minimum or many territories, and minimum programs or appear to character of the control of the relation to the control of the control of

Source people may be more witherable to exterioration in clicking water than the general popular manufacturing strategy across the property of the property of

protect our trivial is sourced, which are the toart of our community, our way of the and our children's future.

Please note, this report wit not be malled to the customers individually, however, a copy may be requested from Colnoun City - City Hea

۰	1110 13.43	LHY 00	20200	POT CILY	Or C	armoun cru	y MS.			
	04-065450 04-065450 04-065450 04-00-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	00 04 STREE	/25 T	333,44632068 05/25	CALH	OUN CITY WATE P.O. BO. GALHOUN CITY		PHONE 628-8345	PRESURTED FIRST-CLASS MAR. U.S. POSTAGE PARD PERMIT NO. 20 GARROUN CITY, MS	
	roblerelebii			10(3):10						
	2938	29	27	11	ON	NET AMOUNT OR BEFORE DUE DATE	000 s/vii 06/15/20		PAY GROSS AMOUNT APTER 5:00 RM. ON DUE DATE	
	(c)]/A:	(cl=lao):(C	[5]3V[0]5			31.00	4.65		35.65	
						REPORT A	VAILABLE-	CITY 1	HALL	
	WTR SWR GRB NET DUE > SAVE THIS	>>	15 31 4	0.00 5.00 5.00 5.00	ZAUQ	0654500 WOLFE	RN SERVICE RE	GUESTE	D	
	GROSS DUE	>>	35	.65	105	HILL ST				
					CALHOUN CITY MS 38916-7719					
					phyl		dardadah	ալինի	·////	